

Ingredients:

Chemical Name	CAS Number:	Proportion:
Alkaline Salts		>60%
Sodium Hydroxide	1310-73-2	<10%
Softner	7758-29-4	<10%
Wetting Agent	68081-81-2	<10%
Dye/Optical Brightener/ Fragrance		<10%

HEALTH HAZARD INFORMATION

Health Effects:

Acute

- Swallowed:** Swallowing can result in nausea, vomiting and burning of the mouth and gastrointestinal tract. May cause shock, convulsion and nervous system effects.
- Eye:** A severe eye irritant corrosive to eyes. Contact can cause corneal burns.
- Skin:** Skin contact may lead to irritation. Could cause corrosion and skin burns. Repeated or prolonged contact may result in localised pain and ulcerations.
- Inhaled:** Inhalation could result in respiratory irritation and can cause ulceration of mucous membranes, nausea, vomiting and headaches.

Chronic

No Data

First Aid

- Advice** For advice, contact a Poisons Information Centre (Phone eg. Australia 13 11 26; New Zealand 03 4747 000 [Not after May 2005] or 0800 764 766 or a doctor at once).
- Swallowed** If swallowed, do NOT induce vomiting.
- Eyes** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Safety Points

Wear eye protection when mixing or using.
Wear protective gloves when mixing or using
Do not mix with hot water

Advice to Doctor:

Treat symptomatically as for strong alkalis

PRECAUTIONS FOR USE

Exposure Standards:

	TWA		STEL	
PPM		MG/M3	PPM	MG/M3
---		02	----	04

TWA - is the time - weighted average: airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight hour work day.

Engineering Controls: Use in a well ventilated area.

Personal Protection: Avoid eye and skin contact and inhalation of vapour. Wear overalls, chemical goggles and impervious gloves when cleaning up spills/use with adequate ventilation. Normal personal hygiene habits to be followed. If inhalation risk exists wear an air supplied mask meeting requirements of as1715 and as1716.

Flammability: Non Flammable

SAFE HANDLING INFORMATION

Storage and Transport: 1759 corrosive solid n.o.s. *[contains sodium hydroxide]. Keep containers closed at all times - check regularly for leaks. Store in a cool dry place out of direct sunlight. Store away from oxidising agents, foodstuffs and acids.

Spills and Disposal: Wear protective equipment to prevent skin and eye contamination. Avoid accidents - clean up immediately. Contain - prevent runoff into drains and waterways. Collect and seal in properly labelled drums for disposal. For disposal refer to state land waste management authority.

Fire/Explosion Hazard: On burning will emit toxic fumes. Fire fighters to wear self contained breathing apparatus and full protective clothing.

OTHER INFORMATION

None Available

CONTACT POINT

ORGANISATION	TELEPHONE	ASK FOR
Poisons Information Centre – Australia Wide	131126	
Eazygleam Products Pty Ltd	+61-(0)7-3274 2593	Andrew Gilbert
Fire Brigade	000	Fire Brigade
Police	000	Police

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.