

Ingredients:

Chemical Name	CAS Number:	Proportion:
Ethanol	64-17-5	60-100 %
Resin		30-60 %
Technical dye not known	0-10 %	

HEALTH HAZARD INFORMATION

Health Effects:

Acute

- Swallowed:** Ingestion can cause nausea and vomiting. May cause irritation to mouth, throat and stomach.
- Eye:** May cause soreness. A moderate eye irritant.
- Skin:** Repeated or prolonged skin contact may lead to dermatitic effects. Contact with skin may result in irritation.
- Inhaled:** May cause nausea, vomiting and dizziness. May cause irritation to the mouth, nose and throat. Possible allergic reactions.

Chronic

Repeated or prolonged skin contact can cause sensitisation. Alcohol has been linked to birth defects and cancer in humans. Repeated ingestion over a prolonged period has caused liver and kidney damage.

First Aid

- Advice** For advice, contact a Poisons Information Centre (Phone eg. Australia 13 11 26; New Zealand 03 4747 000 [Not after May 2005] or 0800 764 766 or a doctor at once).
- Swallowed** If swallowed, do NOT induce vomiting.
- Eyes** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- Skin** If skin contact occurs, immediately remove contaminated clothing. Flush skin under water for 15 minutes. They apply calcium gluconate gel. Contact the Poisons Information Centre.

Safety Points

Wear eye protection when mixing or using.
Wear protective gloves when mixing or using
Do not mix with hot water

Advice to Doctor:

Treat symptomatically

PRECAUTIONS FOR USE

Exposure Standards:	No data available for the compounded product.
Engineering Controls:	Use with adequate ventilation. Avoid generation and inhalation of spray mist.
Personal Protection:	Avoid skin and eye contact. Wearing of the following personal protective equipment may be advisable. Safety glasses. Rubber gloves. Do not smoke. Always wash hands before smoking, eating, drinking or using the toilet.
Flammability:	Keep away from heat, sparks or naked flames. Highly flammable.

SAFE HANDLING INFORMATION

Storage and Transport:	Keep containers securely sealed and protected against physical damage. Store away from sources of heat or ignition. Not to be loaded with oxidizing agents (class 5). This product is categorised as Class 3 - flammable by the Australian Code for the Transport of Dangerous Goods by Road and Rail. EPG Number 3A1 IERG Number 14
Spills and Disposal:	Isolate leaking containers and stop leak if safe to do so. In the event of a small spill: Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for disposal. In event of large spill: Contain - prevent contamination of drains and waterways. Pump out to a waste/recovery tank.
Fire/Explosion Hazard:	Moderate hazard. Extinguish fire with the following: Use carbon dioxide. Use foam. Dry sand. If safe to do so, remove containers from path of fire. No reactivity data available.

OTHER INFORMATION

Toxicology	No data available for the compounded product.
Environment Protection	This substance may be hazardous to the environment; special attention should be given to preventing product from entering drains and waterways.
Risk Statement	R11 Highly flammable. R36/37/38 Irritating to eyes, respiratory system and skin.
Safety Statement	S16 Keep away from sources of ignition - No smoking. S51 Use only in well ventilated areas. S24/25 Avoid contact with skin and eyes.
Pkg. & Labelling	This product does not contain a Scheduled Poison in accordance with the relevant State Poisons Act. CLASS 3 - FLAMMABLE LIQUIDS. Packaging Group II. 5 Lt DG Polybottle 20 Lt DG Carboy
Hazard Category	Irritant

CONTACT POINT

ORGANISATION	TELEPHONE	ASK FOR
Poisons Information Centre – Australia Wide	131126	
Eazygleam Products Pty Ltd	+61-(0)7-3274 2593	Andrew Gilbert
Fire Brigade	000	Fire Brigade
Police	000	Police

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.