

Ingredients:

Chemical Name	CAS Number:	Proportion:
---------------	-------------	-------------

HEALTH HAZARD INFORMATION

Health Effects:**Acute**

Swallowed:	Single dose toxicity low.
Eye:	Causes pain, transient irritation / corneal injury.
Skin:	Prolonged / repeated exposure may cause irritation, defatting.
Inhaled:	Anaesthetic & narcotic effects, dizziness, headache.
Chronic	None available

First Aid

Advice	For advise, contact a Poisons Information Centre (Phone eg. Australia 13 11 26; New Zealand 03 4747 000 [Not after May 2005] or 0800 764 766 or a doctor at once).
Swallowed	If swallowed, do NOT induce vomiting.
Eyes	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
Skin	If skin contact occurs, immediately remove contaminated clothing. Flush skin under water for 15 minutes. They apply calcium gluconate gel. Contact the Poisons Information Centre.

Safety Points

Wear eye protection when mixing or using.
Use in an well ventilated area away from ignition source
Wear protective gloves when mixing or using
Do not mix with hot water

Advice to Doctor:

Treat symptomatically, Do not administer sympathometric drugs.

PRECAUTIONS FOR USE

Exposure Standards:**Engineering Controls:**

Ventilation: Do not inhale vapours. Use in well ventilated areas only. In poorly ventilated areas only. In poorly ventilated areas, mechanical explosion proof extraction ventilation is recommended or approved organic vapour respirator.

Local exhaust at floor level suggested. Vapour is heavier than air and will collect in low areas such as pits, tanks confined spaces. Do not enter these spaces unless wearing self contained breathing apparatus.

ACCIH TLV [TWA] = 1900 MG/M3 [350PPM] AND
STEL 2450 MG/M3.

Personal Protection:

Splash proof goggles, overalls, viton gloves and an approved organic vapour respirator are recommended when handling in confined poorly ventilated areas. An air respirator is recommended.

Flammability:

Avoid open flames, welding arcs or other high temperature sources which induce thermal decomposition.

Highly flammable.

Extinguish using foam, dry chemical or B.C.F.

SAFE HANDLING INFORMATION

Storage and Transport:

This product is classified as an S.5 POISON and must therefore, be stored, maintained and used in accordance with relevant State Poisons Act.

Spills and Disposal:

Avoid contact with liquid and breathing vapour. Minimise spillage as soon as it is safe to do so. Contain spill using sand, earth or sawdust. Prevent run off into drains waterways. Scoop up absorbed product into clean labelled drums for disposal. Refer to local waste authority.

Fire/Explosion Hazard:

Flammable

OTHER INFORMATION

None Available

CONTACT POINT

ORGANISATION	TELEPHONE	ASK FOR
Poisons Information Centre – Australia Wide	131126	
Eazygleam Products Pty Ltd	+61-(0)7-3274 2593	Andrew Gilbert
Fire Brigade	000	Fire Brigade
Police	000	Police

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.