





---

## PRECAUTIONS FOR USE

---

<b>Exposure Standards:</b>	No exposure limits proposed by National Health and Medical Research Council. TLV is the time weighted average concentration of the work atmosphere over a normal 8-hour work day and a 40-hour work week. Nearly all workers may be repeatedly exposed to this level, day after day, without adverse effect. These TLVs are issued as guidelines for good practice. All atmospheric contamination should be kept to as low a level as is practically possible. These TLVs should not be used as fine lines between safe and dangerous concentrations.
<b>Engineering Controls:</b>	No special ventilation required.
<b>Personal Protection:</b>	Avoid contact with eyes. Use gloves if prone to dermatitis.
<b>Flammability:</b>	Non combustible. Non flammable.

---

## SAFE HANDLING INFORMATION

---

<b>Storage and Transport:</b>	Keep containers securely sealed and protected against physical damage. Ensure containers are clearly labelled. During hot weather vent drums at regular intervals.
<b>Spills and Disposal:</b>	Isolate leaking containers and stop leak if safe to do so. Slippery when spilt. Avoid accidents, clean up immediately. In the event of a small spill: Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for disposal. In event of large spill: Contain - prevent contamination of drains and waterways. Pump out to a waste/recovery tank.
<b>Fire/Explosion Hazard:</b>	No unusual fire or explosion hazards. Non combustible. In case of fire in the surroundings use the appropriate extinguishing method for the area. No reactivity data available. No Hazchem Code allocated.

---

## OTHER INFORMATION

---

<b>Toxicology</b>	This product is not considered as harmful, but to the best of our knowledge the toxicological properties have not been thoroughly investigated.
<b>Environment Protection</b>	Biodegradeable. No particular hazard to the environment.
<b>Safety Statement</b>	S24/25 Avoid contact with skin and eyes.
<b>Pkg. &amp; Labelling</b>	This product is non hazardous and is not considered as a Dangerous Good in the Australian Code for the Transport of Dangerous Goods by Road and Rail. 200 Lt Plastic Drum. 20 Lt Carboy.

---

## CONTACT POINT

---

ORGANISATION	TELEPHONE	ASK FOR
Poisons Information Centre – Australia Wide	131126	
Eazygleam Products Pty Ltd	+61-(0)7-3274 2593	Andrew Gilbert
Fire Brigade	000	Fire Brigade
Police	000	Police

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.