

Ingredients:

| Chemical Name | CAS Number: | Proportion: |
|-------------------|-------------|-------------|
| Acrylic Copolymer | - | High |
| Coalescents | - | Low |
| Surfactants | - | Low |
| Plasticizers | - | Low |
| Free Monomers | - | Vlow |
| Water | 7732-18-5 | High |

Proportion (% weight per weight): Vhigh >60, High 30-60, Med 10-29, Low 1-9, Vlow <1

All the constituents of this material are listed on the Australian Inventory of chemical Substances (AICS).

Use: Sealer for vinyl and terrazzo tiles.

HEALTH HAZARD INFORMATION

Health Affects: No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms that may arise if the product is mishandled are:

Acute Affects

Swallowed: No adverse effects expected, however large amounts may cause nausea and vomiting.

Eye: May be an eye irritant

Skin: Contact with skin may result in irritation.

Inhaled: Remove victim from exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

Chronic No information available for product.

First Aid

Swallowed: Rinse mouth with water. Give plenty of water to drink. Seek medical advice.

Eye: Irrigate with copious quantities of water for 15 minutes. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Skin: Wash contaminated skin with plenty of water. Remove contaminated clothing and wash before re-use. If irritation occurs seek medical advice.

Inhaled : Remove victim from exposure-avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if effects persist.

First Aid Facilities: Use good occupational work practice.

Advice to Doctor: Treat symptomatically.

Toxicity: No LD50 data available for product. However, the components in the proportions present (including residual monomers) are not considered to represent a hazard under conditions of good occupational work practice. Acrylic resins are considered to be of low toxicity.

PRECAUTIONS FOR USE

Exposure Standards: No value assigned for this specific material by the National Occupational Health and Safety Commission (Worksafe Australia).

Engineering Controls: Use in well ventilated area. Keep containers closed when not in use.

Personal Protection: Avoid skin and eye contact. Wear overalls, safety glasses and impervious gloves. Always wash hands before smoking, eating, drinking or using the toilet.

Flammability: Non combustible material.

SAFE HANDLING INFORMATION

Storage And Transport: Not defined as a Dangerous Good by the Australian Code for the Transport of dangerous goods by road and rail. Store in a cool space and out of direct sunlight.

Spill And Disposal: Wear protective equipment to prevent skin and eye contamination and inhalation of vapours. Contain using sand and soil - prevent runoff into drains and waterways. Use absorbent (soil, sand, vermiculite or other inert material). Collect and seal in properly labelled drums for disposal.

Fire/Exposure Hazard: Not combustible, however on evaporation of aqueous component residual material may burn. Fire fighters wear self-contained breathing apparatus if risk of exposure to vapour or products of combustion. Extinguishing media: Water jets, water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

CONTACT POINT

| ORGANISATION | TELEPHONE | ASK FOR |
|---|--------------------|----------------|
| Poisons Information Centre – Australia Wide | 131126 | |
| Eazygleam Products Pty Ltd | +61-(0)7-3274 2593 | Andrew Gilbert |
| Fire Brigade | 000 | Fire Brigade |
| Police | 000 | Police |

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.