



# MATERIAL SAFETY DATA SHEET

## SUN WAX

**Infosafe no.**                                      **Issue Date**    November 2003                                      **Status**    Issued by Eazygleam

**Classified as non-hazardous according to criteria of NOHSC**

### COMPANY DETAILS

**Company Name:** Eazygleam Products PTY LTD (ABN 12 011 017 342)  
**Address:** 36 Richland Avenue,  
Coopers Plains QLD 4108  
Australia  
**Tel:** +61 (0)7 3274 2593  
**Fax:** +61 (0)7 3277 2450  
**Email:** sales@eazygleam.com.au  
**Web:** www.eazygleam.com.au

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control.

### IDENTIFICATION

**Product Name:** Sun Wax  
**Other Names:** Flammable Liquids, N.O.S. - CONTAINS 420g/L Liquid Hydrocarbons  
**Manufacturer's Product Code:** None allocated  
**UN Number:** 1993  
**Dangerous Goods Class and Subsidiary Risk:** 3  
**Hazchem Code:** 3[Y]  
**Poisons Schedule No.:** S5  
**Use:** High gloss polymer sealant for cars and boats, on paintwork and chrome

### Physical Description/Properties:

**Appearance:** Viscous, pourable liquid.  
**Boiling Point:** 71°C  
**Vapour Pressure:** Not Required  
**Specific Gravity:** 0.966 @ 20°C  
**Flashpoint:** 32°C (Tag Closed Cup)  
**Flammability Limits:** (Fire Point 71°C)  
**Solubility in Water:** Not available

### Other Properties:

None Available

**Ingredients:**

Chemical Name	CAS Number:	Proportion:
Hydrocarbon mix	8008-20-6	<25%

---

**HEALTH HAZARD INFORMATION**

---

**Health Effects:****Acute**

<b>Swallowed</b>	Ingestion can cause nausea and vomiting. May be harmful if swallowed.
<b>Eye</b>	Permanent eye damage may occur. A moderate eye irritant.
<b>Skin</b>	Contact with skin may result in irritation.
<b>Inhaled</b>	Not normally an inhalation risk due to low vapour pressure at ambient temperatures.
<b>Chronic</b>	None known.

**First Aid**

<b>Advice</b>	For advise, contact a Poisons Information Centre (Phone eg. Australia 13 11 26; New Zealand 03 4747 000 [Not after May 2005] or 0800 764 766 or a doctor at once).
<b>Swallowed</b>	If swallowed, do NOT induce vomiting.
<b>Eyes</b>	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
<b>Skin</b>	If skin contact occurs, immediately remove contaminated clothing. Flush skin under water for 15 minutes. They apply calcium gluconate gel. Contact the Poisons Information Centre.

**Safety Points**

Wear eye protection when mixing or using.  
Wear protective gloves when mixing or using  
Do not mix with hot water

**Advice to Doctor:**

Treat symptomatically.

---

## PRECAUTIONS FOR USE

---

<b>Exposure Standards:</b>	No exposure limits proposed by the National Health and Medical Research Council.
<b>Engineering Controls:</b>	Use with adequate ventilation. Avoid generation and inhalation of mists or aerosols. Use earthing straps when transferring material. Keep clear of all sources of ignition.
<b>Personal Protection:</b>	Wearing of the following personal protective equipment may be advisable. Chemical goggles, protective clothing and PVC or rubber gloves.
<b>Flammability:</b>	Flammable

---

## SAFE HANDLING INFORMATION

---

<b>Storage and Transport:</b>	Ensure containers are clearly labelled. Keep containers securely sealed and protected against physical damage. This product is categorised as Class 3 - Flammable by the Australian Code for the Transport of Dangerous Goods by Road and Rail. Store away from heat and sources of ignition.
<b>Spills and Disposal:</b>	Increase ventilation. Shut off all possible sources of ignition. Do not smoke. Wear appropriate protective clothing. In the event of a small spill: Use absorbent (soil or sand, sawdust, inert material, vermiculite). Collect and seal in properly labelled drums for disposal. In event of large spill: Contain all spills. Pump out to a waste/recovery tank.
<b>Fire/Explosion Hazard:</b>	Moderate hazard. Extinguish fire with the following: Foam, dry chemicals, CO <sub>2</sub> or water fog. Use water jet to keep containers cool. In case of fire in the surroundings use the appropriate extinguishing method for the area. No reactivity data available.

---

## OTHER INFORMATION

---

<b>Toxicology</b>	No data available for the compounded product.
<b>Environment Protection</b>	This substance may be hazardous to the environment. Avoid contamination of drains and waterways.
<b>Risk Statement</b>	R10 Flammable. R65 Harmful: may cause lung damage if swallowed. R36/38 Irritating to eyes and skin.
<b>Safety Statement</b>	S16 Keep away from sources of ignition - No smoking. S24/25 Avoid contact with skin and eyes.
<b>Pkg. &amp; Labelling</b>	Defined as a 'Dangerous Good' by the Australian Code for the Transport of Dangerous Goods by Road and Rail. CLASS 3 - FLAMMABLE LIQUIDS. Correct Shipping Name: Flammable liquid (NOS) (contains liquid Hydrocarbons)
<b>Packaging Group</b>	III.  This product contains a Scheduled Poison (S5) and must therefore be stored, maintained and used in accordance with the relevant State Poisons Act. Contains 420g/L liquid hydrocarbons.
<b>Hazard Category</b>	Harmful,Irritant

---

**CONTACT POINT**

---

<b>ORGANISATION</b>	<b>TELEPHONE</b>	<b>ASK FOR</b>
Poisons Information Centre – Australia Wide	131126	
Eazygleam Products Pty Ltd	+61-(0)7-3274 2593	Andrew Gilbert
Fire Brigade	000	Fire Brigade
Police	000	Police

Every endeavor has been made to ensure that the information contained in this publication is reliable and offered in good faith. It is meant to describe the safety requirements of our products and should not be construed as guaranteeing specific properties. Customers are encouraged to conduct their own tests as end user suitability of the product for particular uses is beyond our control. The information is not intended as an inducement to bargain and no warranty expressed or implied is made as to its accuracy, reliability or completeness. Eazygleam Pty Ltd accepts no liability for loss, injury or damage arising from reliance upon the information contained in this data sheet except in conjunction with the proper use of the product to which it refers. Due care should be taken that the use and disposal of this product is in compliance with appropriate Federal, State and Local Government regulations.